



Contributions of Qualitative Research in Informing HIV/AIDS Interventions Targeting Black MSM in the United States

Patrick A. Wilson, Pamela Valera, Alexander J. Martos, Natalie M. Wittlin, Miguel A. Muñoz-Laboy & Richard G. Parker

To cite this article: Patrick A. Wilson, Pamela Valera, Alexander J. Martos, Natalie M. Wittlin, Miguel A. Muñoz-Laboy & Richard G. Parker (2016) Contributions of Qualitative Research in Informing HIV/AIDS Interventions Targeting Black MSM in the United States, *The Journal of Sex Research*, 53:6, 642-654, DOI: [10.1080/00224499.2015.1016139](https://doi.org/10.1080/00224499.2015.1016139)

To link to this article: <https://doi.org/10.1080/00224499.2015.1016139>



Published online: 04 Aug 2015.



Submit your article to this journal [↗](#)



Article views: 1166



View related articles [↗](#)



View Crossmark data [↗](#)



Citing articles: 19 View citing articles [↗](#)

Contributions of Qualitative Research in Informing HIV/AIDS Interventions Targeting Black MSM in the United States

Patrick A. Wilson, Pamela Valera, Alexander J. Martos, and Natalie M. Wittlin

Department of Sociomedical Sciences, Columbia University Mailman School of Public Health

Miguel A. Muñoz-Laboy

College of Health Professions and Social Work, Temple University

Richard G. Parker

Department of Sociomedical Sciences, Columbia University Mailman School of Public Health

This article presents a systematic review of qualitative studies focusing on human immunodeficiency virus (HIV) and acquired immune deficiency syndrome (AIDS) among Black men who have sex with men (BMSM) in the United States. We reviewed studies that were published between 1980 and 2014. Qualitative methods employed in the studies reviewed include in-depth interviews, focus groups, participant observation, and ethnography. We searched several databases (PubMed, PsychINFO, JSTOR, ERIC, Sociological Abstracts, and Google Scholar) for relevant articles using the following broad terms: “Black men” “Black gay/bisexual” or “Black men who have sex with men,” and “qualitative” and/or “ethnography.” We include 70 studies in this review. The key themes observed across studies were (1) heterogeneity, (2) layered stigma and intersectionality, (3) risk behaviors, (4) mental health, (5) resilience, and (6) community engagement. The review suggests that sexual behavior and HIV-status disclosure, sexual risk taking, substance use, and psychological well-being were contextually situated. Interventions occurring at multiple levels and within multiple contexts are needed to reduce stigma within the Black community. Similarly, structural interventions targeting religious groups, schools, and health care systems are needed to improve the health outcomes among BMSM. Community engagement and using community-based participatory research methods may facilitate the development and implementation of culturally appropriate HIV/AIDS interventions targeting BMSM.

Black men who have sex with men (BMSM) are disproportionately affected by human immunodeficiency virus (HIV) and acquired immune deficiency syndrome (AIDS) in the United States, and men in this epidemiological group exhibit high risk for acquiring HIV relative to other groups. Recent studies of men who have sex with men (MSM) in the United States found not only that BMSM had the highest rates of HIV incidence as compared to other racial/ethnic groups but that rates of HIV incidence were rising significantly among young BMSM (Centers for Disease

Control and Prevention [CDC], 2014; Prejean et al., 2011). However, the HIV crisis among BMSM is not a newly emerging one; for more than a decade HIV seroprevalence studies of MSM have consistently shown disproportionately high rates of infection among BMSM (CDC, 2001, 2005, 2008; Valleroy et al., 2000).

The continuing HIV crisis among BMSM suggests that public health interventions are greatly needed to curb the epidemic in this group (Millett, Peterson, Wolitski, & Stall, 2006; Peterson & Jones, 2009; White House Office of National AIDS Policy, 2010). However, very few primary or secondary HIV prevention interventions have been developed or adapted for use with BMSM (Johnson et al., 2005). Of the 29 interventions used in the U.S. Centers for Disease Control and Prevention Diffusion of Effective Behavioral Interventions (DEBI) project—a primary source of HIV/AIDS

Correspondence should be addressed to Patrick A. Wilson, Department of Sociomedical Sciences, Columbia University Mailman School of Public Health, 722 W 168th Street, 5th Floor, New York, NY 10032. E-mail: pw2219@columbia.edu

Color versions of one or more of the figures in the article can be found online at www.tandfonline.com/hjsr.

interventions used by community-based organizations (CBOs) in the United States (Wilson & Moore, 2009)—only two, Many Men, Many Voices (3MV) (Wilton, Halkitis, English, & Roberson, 2005) and d-up!: Defend Yourself (Jones et al., 2008), specifically focus on BMSM. There have also been more recent efforts to design group- and community-level interventions targeting BMSM, such as the HIV Prevention Trials Network (HPTN) Protocol 061, a large-scale, multicity study exploring the feasibility and acceptability of a multifaceted HIV prevention and linkage to care intervention targeting BMSM. However, these efforts are still too few to respond to the diverse and unique prevention and treatment needs of BMSM, and existing interventions do not focus on the multitude of factors at the individual, community, and structural levels that promote heightened risk in this population (Millett et al., 2011; Peterson & Jones, 2009; Wilson & Moore, 2009).

The Strengths and Limitations of Behavioral Research

The call for more HIV interventions designed specifically for BMSM comes with an increased need for empirical data on the HIV risk and protective factors on which interventions targeting BMSM need to focus. Most available data come from behavioral research, which has predominantly been quantitative and focused on individual-level behavioral and psychosocial factors related to HIV risk among BMSM. This research has provided important insights on the variety of risk factors that may place BMSM at heightened risk for HIV. For example, Millett and colleagues (2012) conducted a meta-analysis of empirical research identifying biological, demographic, behavioral, psychological, interpersonal, sociocultural, and structural factors associated with greater risk for HIV seropositivity and HIV risk and protective behaviors among BMSM in the United States. Factors that were shown to be related to HIV infection and/or risk behavior included sexually transmitted disease (STD) infection, psychological distress, sexual identity, self-efficacy, peer norms regarding safer sex, and social support. Other studies have highlighted additional risk factors, including older age of BMSM sexual partners and intraethnic group sexual partnering (Berry, Raymond, & McFarland, 2007; Bingham et al., 2003; Millett et al., 2012; Raymond & McFarland, 2009; Wilson & Moore, 2009).

Research has also suggested that HIV/AIDS interventions must address the different forms of stigma experienced by BMSM, and that greater attention must be paid to how different types of stigma (i.e., racism, heterosexism, homophobia, and classism) are layered and embedded in environments in which BMSM live, work, and socialize (Bowleg, Teti, Malebranche,

& Tschann, 2013; Parker & Aggleton, 2003). The related concept of intersectionality, which suggests that social categories and identities are not independent but rather multidimensional and linked to structural inequalities (Bowleg et al., 2013), provides a useful reference in understanding how layered stigma works. However, while theory and research highlight the importance of understanding layered stigmas and intersectionality in relation to HIV vulnerability among BMSM, these factors have been largely overlooked in most quantitative research.

While HIV research focusing on BMSM has yielded important findings on risk and protective factors that operate on a population level, it has also at times promoted the conceptualization that HIV risk and protective factors (e.g., condom use, medication adherence) operate and can be intervened upon independent of social context and culture (Mays, Cochran, & Zamudio, 2004). Quantitative research is primarily concerned with isolating variables to estimate their effects independent of other potential variables that may confound, mask, or change their relationship to HIV risk. Quantitative studies provide critical information on the efficacy of interventions in controlled environments and help researchers understand potential pathways through which interventions affect health outcomes. However, quantitative-focused research is limited in its ability to describe the dynamic context of HIV risk and resilience among BMSM—such as how layered stigmas, intersectionality, and other nuanced sociocontextual factors operate in the lives of BMSM and shape HIV risk in the population. Qualitative research, on the other hand, can examine the multitude of factors that work in concert to shape and construct social contexts and sexual cultures that structure HIV risk (Parker, 2001; Parker & Carballo, 1990; Parker & Ehrhardt, 2001; Parker, Herdt, & Carballo, 1991; Power, 1998).

The Potential of Qualitative Research in Informing HIV/AIDS Interventions

Much of the behavioral quantitative research focused on HIV among BMSM has failed to comprehensively describe the contexts in which risk and protective factors operate; these studies have been limited in their abilities to inform individual-, community-, and structural-level interventions (Mays et al., 2004). By providing a contextualized perspective of HIV risk, qualitative research has great utility in informing the design, implementation, and dissemination of interventions at multiple levels (Campbell et al., 2000; Higgins et al., 1996). Qualitative HIV/AIDS research has the potential to enhance researchers' understandings of cultural meanings related to health, sexuality, resilience, and other factors related to HIV/AIDS (Herdt, 2001; Herdt & Boxer, 1991; Parker, 2001; Parker et al., 1991); can provide highly

descriptive accounts of lived experiences that call attention to historical, sociocontextual, political, and structural factors (Bailey, 2009; Parker & Carballo, 1990; Parker & Ehrhardt, 2001; Silenzio, 2003); and allows for a more comprehensive understanding of the cultural and gendered aspects of language and communication in HIV prevention (Herdt & Boxer, 1991; Parker, 2001; Parker et al., 1991; Silenzio, 2003). Furthermore, with the rise of biomedical interventions such as preexposure prophylaxis (PrEP) and treatment as prevention (TasP), clinical trials will continue to be conducted among the groups considered to be at greatest risk of infection. Qualitative research is a necessary step toward understanding the feasibility and acceptability of these biomedical interventions and their potential successes in being rolled out in real-world settings and with the groups that are most vulnerable and in need of novel HIV prevention and treatment strategies.

Though qualitative methodologies do not allow for outcome evaluations of intervention effects, and findings from studies employing qualitative methods may not be generalizable to populations or settings, qualitative research has great potential to aid in the formation and implementation of HIV/AIDS interventions (Campbell et al., 2000; Higgins et al., 1996). For this reason, researchers across disciplines have made numerous calls for more qualitative research on issues related to heightened HIV risk among BMSM (Koblin et al., 2006; Malebranche, 2003; Millett et al., 2011; Millett, Malebranche, & Peterson, 2007; Millett & Peterson, 2007; Normand, Lambert, & Vlahov, 2003; Torian, Makki, Menzies, Murrill, & Weisfuse, 2002). There is an enormous amount of information—much of which has been overlooked—that can be obtained from systematically reviewing qualitative research studies focusing on BMSM. It is critical that we use this information to inform the development of interventions targeting BMSM, which has been called for in the U.S. *National HIV/AIDS Strategy* (White House Office of National AIDS Policy, 2010).

The primary aims of this article were (1) to systematically review findings from qualitative studies focusing on BMSM in the United States and (2) to use the findings obtained from these studies to identify priority areas for HIV prevention and treatment interventions targeting BMSM.

Method

We conducted a systematic review of the PubMed, PsychINFO, JSTOR, ERIC, and Sociological Abstracts databases, as well as the Internet-based academic article index Google Scholar, to obtain peer-reviewed articles published between 1980 and 2014. We searched the databases for articles using the following broad terms: “Black men,” “Black gay/bisexual,” and/or “Black men who have sex with men,” and “qualitative”

and/or “ethnography.” No hand searches or direct communications were involved in the identification of published studies. The research team used Microsoft Excel to organize the themes and methods identified in the studies. To be included in the review, studies had to meet each of the following four inclusion criteria: (1) a description of the methods employed was provided; (2) qualitative methods (i.e., interviews, focus groups, participant observation, and/or other forms of ethnographic approaches, such as case studies) were used; (3) the study sample was comprised completely or by a majority ($\geq 50\%$) of BMSM and/or the research focused on HIV, health, ethnicity, sexuality, gender and/or culture among BMSM; and (4) the study was published in a peer-reviewed journal within the disciplines of public health, social science, and/or medicine.

Initial counts of the articles identified varied according to the search engine used. For example, Google Scholar yielded 9,380 hits for the search term “Black men who have sex with men” and “qualitative,” whereas PubMed yielded 538 hits. For the purpose of this review, book chapters, qualitative research conducted outside of the United States, white papers, and other self-published reports were excluded. Using our criteria, a total of 70 studies met inclusion criteria and were included for review. Studies that used the same sample (or a subset of) were included for review as separate if the goals of the research were distinct.

Key themes that emerged were identified and agreed upon by the coauthors in the course of reviewing studies. A subset of the research team read all 70 articles and compiled a list of themes by hand, with relevant text pulled from articles to highlight each theme. Themes were then reviewed and confirmed by the full team of authors. Six key themes that frequently emerged are focused on in this article. Finally, a subset of research team members worked to categorize each article along the six themes. Team members agreed on the categorization of studies more than 90% of the time; all disagreements were discussed until agreement was reached. Table 1 provides information on methods employed and major findings obtained for each study.

Results

The review yielded several important themes that point to priority areas for HIV/AIDS interventions targeting BMSM. These themes were broadly tied to heterogeneity among BMSM; stigma tied to intersectional identities of race/ethnicity, sexual orientation, gender, social class, and HIV status; contextual factors influencing sexual risk behavior, substance use, and mental health among BMSM; and the associated factors of resilience and community engagement. Figure 1 depicts the occurrence of the six themes over time.

BLACK MSM AND QUALITATIVE RESEARCH

Table 1. *Methods and Major Themes of Findings from 70 Qualitative Research Studies Focused on Black Men Who Have Sex With Men (BMSM) and HIV/AIDS.*

#	Study	N	Methods				Major Themes					
			In-Depth Interviews	Focus Groups	Participant Observation	Other	Heterogeneity/Identity	Stigma	Risk Behavior	Mental Health	Resilience	Community Engagement
1	Loiacano (1989)	6	■				■			■		
2	Mays et al. (1992)	110	■	■			■					
3	Hawkeswood (1993); Hawkeswood & Costley (1996)	156	■		■		■	■			■	
4	Beeker et al. (1998)	76*	■					■	■	■		
5	Stokes & Peterson (1998)	76*	■					■				
6	Fullilove & Fullilove (1999)	N/A		■				■				
7	Myrick (1999)	16	■			■						■
8	Kraft et al. (2000)	76*	■					■				
9	Lichtenstein (2000)	158	■	■	■		■	■	■			
10	Woodyard et al. (2000)	76*	■					■		■		
11	Wilson (2002)	37*	■					■			■	
12	Harris (2003)	3	■			■		■				
13	Malebranche et al. (2004)	81		■				■				
14	Williams et al. (2004)	23		■				■	■			
15	Christian (2005)	3	■		■		■					
16	Miller et al. (2005)	21	■	■			■	■				
17	Wheeler (2005)	50	■	■			■	■				
18	Wilton et al. (2005)	24	■				■		■			
19	Green (2005)	30*	■		■		■					
20	Busch et al. (2006)	20		■				■		■		
21	Harawa et al. (2006)	30		■				■	■	■		
22	Wheeler (2006)	25		■				■	■			
23	Miller (2007)	10	■					■				
24	Mamary et al. (2007)	25	■			■		■	■			
25	Morton (2007)	3				■		■			■	
26	Eyre et al. (2007)	22	■					■			■	
27	Green (2007)	30*	■					■		■		
28	Jeffries et al. (2008)	28	■					■			■	
29	Fields et al. (2008)	87	■					■		■		
30	Dodge et al. (2008)	30	■					■	■		■	
31	Malebranche et al. (2009)	29*	■					■	■			
32	Wilson et al. (2009)	71	■	■				■		■		
33	Graham et al. (2009)	22		■				■	■	■		
34	Jerome &Halkitis (2009)	52	■	■				■	■	■	■	
35	Nanín et al. (2009)	29		■				■				
36	Arnold & Bailey (2009)	40	■		■			■			■	■
37	Jones (2009)	4		■				■	■			■
38	Malebranche et al. (2010)	38	■					■	■			
39	Pitt (2010a)	34*	■						■		■	
40	Pitt (2010b)	34*	■					■			■	
41	Reback & Larkins (2010)	21	■	■				■	■	■	■	
42	Han (2010)	31		■				■				
43	Lapinski et al. (2010)	56	■	■				■	■			
44	Washington & Meyer-Adams (2010)	105*		■				■		■	■	■

(Continued)

Table 1. *Continued*

#	Study	N	Methods				Major Themes					
			In-Depth Interviews	Focus Groups	Participant Observation	Other	Heterogeneity/Identity	Stigma	Risk Behavior	Mental Health	Resilience	Community Engagement
45	Washington & Brocato (2011)	105*		■			■					
46	Wu et al. (2010)	34		■			■					
47	Haile et al. (2011)	10	■				■					■
48	Hightow-Weidman et al. (2011)	20	■	■			■			■		■
49	Valera & Taylor (2011)	9	■				■	■				
50	Rhodes et al. (2011)	88		■			■	■	■			
51	VanDevanter et al. (2011)	27					■	■				
52	Patton (2011)	6	■				■	■		■		
53	Wilson et al. (2011)	81	■	■			■	■				■
54	Balaji et al. (2012)	16	■				■			■		
55	Voisin et al. (2013)	20		■			■					
56	Bird & Voisin (2013)	20	■				■	■				
57	Hussen et al. (2013)	29	■	■			■					
58	Tobin et al. (2013)	20	■				■	■				
59	Frew et al. (2013)	54		■								■
60	Muessig et al. (2013)	22		■					■			■
61	Strayhorn & Tillman-Kelly (2013)	29	■				■					
62	Arrington-Sanders et al. (2013)	17	■				■			■		
63	Bowleg et al. (2013)	12	■				■	■		■	■	
64	Hussen, Andes, et al. (2014)	20	■						■	■		
65	Fields et al. (2015)	35			■		■	■	■			
66	Hussen, Gilliard, et al. (2014)	20	■				■	■		■		
67	Andrasik et al. (2014)	20		■								■
68	Arnold et al. (2014)	40	■				■	■	■		■	
69	LeGrand et al. (2014)	22		■						■		■
70	Magnus et al. (2014)	10	■			■						■

Note. Asterisk (*) denotes that the same sample is used in other cited studies.

Heterogeneity Among BMSM

A readily apparent theme that emerged was diversity within the population of BMSM. The different samples that were obtained in the studies and reported findings from the research suggest a high level of within-group heterogeneity among BMSM. Sexual behavior/orientation and masculinity represent key domains on which differences among BMSM were highlighted. A total of 11 of the 70 studies focused on non-gay-identifying BMSM and/or men who have sex with men and women (MSMW). Likewise, many of the studies described masculinity—and more specifically masculine gender performance—as a critical factor used to distinguish and stereotype groups of BMSM (Arnold & Bailey, 2009; Beeker, Kraft, Peterson, & Stokes, 1998; Christian, 2005; Miller, Serner, & Wagner, 2005; Reback & Larkins, 2010; Strayhorn & Tillman-Kelly, 2013; Williams, Wyatt, Resell, Peterson, & Asuan-O'Brien, 2004), as well as

a mechanism through which vulnerability to HIV among BMSM was enhanced (Beeker et al., 1998; Jerome & Halkitis, 2009; Reback & Larkins, 2010; Rhodes et al., 2011). Several studies highlighted the unique experiences and prevention needs of Black MSMW compared to other BMSM (Dodge, Jeffries, & Sandfort, 2008; Jeffries, Dodge, & Sandfort, 2008; Lapinski, Braz, & Maloney, 2010; Malebranche, Arriola, Jenkins, Dauria, & Patel, 2010; Marmy, McCright, & Roe, 2007; Reback & Larkins, 2010; Valera & Taylor, 2011; Washington & Brocato, 2011; Washington & Meyer-Adams, 2010; Wheeler, 2006; Williams et al., 2004). For example, Williams and colleagues (2004), Marmy and colleagues (2007), and Reback and Larkins (2010) each described the negative impact of heteronormative gender roles and stereotypes about MSM on perceived risk and sexual risk behavior among Black MSMW. Studies also suggested that negative societal perceptions of bisexual




Figure 1. Frequency of six major themes identified in 70 qualitative studies focusing on Black men who have sex with men (BMSM) by publication year.

behavior impeded outreach and prevention efforts targeting MSMW (Dodge et al., 2008; Jeffries et al., 2008; Lapinski et al., 2010).

Other dimensions of diversity pertinent to consider in the development of interventions targeted toward BMSM include HIV testing patterns and HIV status disclosure (Bird & Voisin, 2013; Harawa, Williams, Ramamurthi, & Bingham, 2006; Hussen et al., 2013; Lichtenstein, 2000; Miller, 2007; Wheeler, 2005; Williams et al., 2004), age (Eyre, Milbrath, & Peacock, 2007; Haile, Padilla, & Parker, 2011; VanDevanter et al., 2011), and drug use (Jerome & Halkitis, 2009; Washington & Brocato, 2011; Washington & Meyer-Adams, 2010; Wilton et al., 2005; Wu, El-Bassel, McViney, Fontaine, & Hess, 2010). Several studies explicitly noted that interventions need to be cognizant that there is no one “type” of BMSM and, therefore, narrowly focused interventions will be limited in impact (Arnold & Bailey, 2009; Fields et al., 2015; Hightow-Weidman et al., 2011; Hussen et al., 2013; Washington & Brocato, 2011).

Stigma Tied to Intersectional Identities

Overwhelmingly, the qualitative studies reviewed highlight how stigmatized, intersectional identities among BMSM are tied to greater HIV risk. The studies suggest institutional- and community-level stigma related to sexuality, femininity, and HIV/AIDS affects vulnerability to HIV and engagement in health behaviors among BMSM. The role of stigma tied to social class (i.e., socioeconomic status and race/ethnicity) in increasing risk for poor health outcomes among BMSM—largely via reduced access to comprehensive, culturally appropriate prevention- and care-based

services (Haile et al., 2011; Miller et al., 2005; Tobin, Cutchin, Latkin, & Takahashi, 2013; Wilson & Moore, 2009)—was also highlighted. For example, Tobin and colleagues’ (2013) in-depth interviews with 20 BMSM suggested that institutional stigma and society’s stereotypes about Black men affected their ability to obtain employment and address substance use problems, which later shaped their HIV risk behaviors. In another study, Bird and Voisin (2013) found that HIV-related stigma was the primary barrier to sexual communication among HIV-positive BMSM. These men received stigmatizing messages from family, the church, and the gay community concerning their HIV status, which in turn influenced decisions to remain silent about HIV disclosure. Studies also highlighted how intersectionality and stigma are experienced by BMSM. For example, BMSM described being targets of not only homophobia but also antifemininity attitudes (Beeker et al., 1998; Christian, 2005; Graham, Braithwaite, Spikes, Stephens, & Edu, 2009; Malebranche et al., 2010; Malebranche, Fields, Bryant, & Harper, 2009; Miller et al., 2005; Williams et al., 2004). Several studies suggested that femininity among BMSM is considered generally undesirable and that taking the receptive role in sexual encounters with other men is considered to be less masculine compared to those who strictly take the insertive role. These studies suggest important connections between race and masculine identity among BMSM, and the potentially negative consequences of Black masculinity on the self-concepts and health behaviors of BMSM (Beeker et al., 1998; Malebranche et al., 2009; Stokes & Peterson, 1998; Strayhorn & Tillman-Kelly, 2013; Williams et al., 2004; Wilson & Moore, 2009).

Strongly tied to stigma around sexuality and femininity, AIDS stigma within BMSM's social networks and communities was observed in several studies reviewed (Arnold, Rebchook, & Kegeles, 2014; Bird & Voisin, 2013; Buseh et al., 2006; Fullilove & Fullilove, 1999; Harawa et al., 2006; Lichtenstein, 2000; Mamary et al., 2007; Miller et al., 2005; Williams et al., 2004; Wilson & Moore, 2009). For example, several studies highlighted the pervasiveness of the idea that HIV/AIDS is a disease of White gay men—which was a dominant view in the early years of the epidemic—and how it continues to have a devastating impact on the Black community's acceptance of AIDS as a disease of the community. This lack of acceptance has reduced the ability of the community to mobilize to address HIV/AIDS among BMSM (Fullilove & Fullilove, 1999; Harawa et al., 2006; Kraft, Beeker, Stokes, & Peterson, 2000; Williams et al., 2004; Wilson & Moore, 2009). Likewise, the studies showed that stigmatizing experiences occur within BMSM's families and peer groups (Beeker et al., 1998; Christian, 2005; Fields et al., 2015; Graham et al., 2009; Harawa et al., 2006; Kraft et al., 2000; Lichtenstein, 2000; Malebranche et al., 2009; Mamary et al., 2007; Stokes & Peterson, 1998; Voisin, Bird, Shiu, & Krieger, 2013), the religious communities to which they belong (Fullilove & Fullilove, 1999; Jeffries et al., 2008; Miller, 2007; Williams et al., 2004; Wilson & Miller, 2002; Woodyard, Peterson, & Stokes, 2000), and the health care institutions they access (Buseh et al., 2006; Haile et al., 2011; Malebranche et al., 2010; Malebranche, Peterson, Fullilove, & Stackhouse, 2004; Miller et al., 2005; Wheeler, 2006).

Contextual Influences on Sexual Risk Behavior, Substance Use, and Mental Health Among BMSM

Studies reviewed showed that sexual risk behavior, substance use, and psychological well-being were contextually situated for BMSM and that health and risk among BMSM cannot be understood, or intervened upon, without examining the social contexts in which health-related behaviors occur. As described previously, stigma permeates the lives of many BMSM; studies suggested that stigma and daily experiences of discrimination were related to BMSM's increased likelihood of participating in situations that may increase sexual risk behaviors. For example, community-level homophobia may make BMSM more likely to seek sex in public parks or other venues where there may be limited access to and use of condoms (Beeker et al., 1998; Lichtenstein, 2000). Similarly, stigma around sexuality and HIV/AIDS in the Black community may be related to men's reduced likelihood to talk openly about HIV/AIDS or condom use with sexual partners and increased risk behavior (Beeker et al., 1998; Hussen, Andes, et al., 2014; Stokes & Peterson, 1998; Voisin et al., 2013).

For example, a participant in Stokes and Peterson's (1998) study noted, "I think the more comfortable an individual is...with their sexuality, the easier it may be for them to practice safe sex, or to reduce their risk for...unsafe sex practices" (p. 287).

Similarly, substance abuse and substance use-related HIV risk behavior among BMSM must be understood within the contexts of stigma, poverty, trauma, and internalized homophobia (Harawa et al., 2006; Lichtenstein, 2000; Nanin et al., 2009; Washington & Brocato, 2011; Washington & Meyer-Adams, 2010; Wheeler, 2006; Williams et al., 2004; Wilson & Moore, 2009). For example, Lichtenstein (2000), in conducting an ethnographic work detailing the lives of BMSM in Alabama, observed that unprotected sex among BMSM remains covert and difficult to intervene upon in part due to the high levels of drug abuse among poor men. The author noted that "the sex-for-drugs trade has a double purpose: addicted men seek to satisfy their craving for drugs, and non-addicted men seek to buy sex from other [drug-addicted] men" (p. 382). Lichtenstein's work suggests a vicious cycle in which poverty, sex, and substance use are interconnected and work in concert to put BMSM and their partners at risk. In contrast, other research highlights how substance use serves as a way to facilitate and buffer same-sex sexual experiences among BMSM (Harawa et al., 2006; Williams et al., 2004; Wilton et al., 2005). These studies propose that with anti-gay stigma coming from their communities and families, and high levels of internalized homophobia, substance use becomes a necessary behavior for many BMSM in order to act upon homosexual desires and reduce negative feelings they have about having sex with other men. Collectively, the work reviewed here suggests interventions that aim to simply reduce substance use behaviors among BMSM may not be effective in reducing HIV risk unless corresponding efforts are taken to reduce poverty, stigma, and homophobia at the community level.

Much of the research examined also highlights the complex role of the Black Church in understanding the health behaviors and mental health of BMSM. Some of the studies reviewed focused on the experiences of BMSM within the Black Church (Fullilove & Fullilove, 1999; Jeffries et al., 2008; Woodyard et al., 2000), while others observed themes linked to the Black Church as emerging out of their analysis (Hawkeswood & Costley, 1996; Stokes & Peterson, 1998; Wilson & Miller, 2002). What makes the role of the Black Church so complex is that, though the studies suggested it is perhaps the greatest stigmatizing force with regard to BMSM's sexual behaviors and identities, there is also a strong presence of BMSM within the Black Church, and the Church serves as a great source of support for many of these men as they contend with external racism and work toward self-acceptance of their sexuality (Hawkeswood & Costley, 1996; Woodyard et al., 2000). For example,

Wilson and Miller (2002) noted, “Faith was used by many of the men in the sample as a means to cope with heterosexism. Participants who kept the faith sought to cope with their sexual minority status by remaining close to God Ironically, the church was also identified as among the most oppressive of non-gay friendly contexts, because numerous times respondents described heterosexist experiences within the church” (p. 382). Thus, the Black Church appears to have both negative and positive effects on the health of BMSM.

Community Engagement and Resilience

One of the most pervasive themes observed in this review was that men perceived a lack of a cohesive BMSM community and that many did not identify with or participate in the mainstream (i.e., White) gay community. Men reported feeling marginal to both the Black and gay communities and indicated that there were few outlets for them to meet other BMSM and develop an organized community of men who feel connected to one another (Beeker et al., 1998; Kraft et al., 2000; Mamary et al., 2007; Stokes & Peterson, 1998; Wilson & Moore, 2009). Studies suggested that the lack of a BMSM community was related to the high levels of external and internalized anti-gay stigma, racism within the gay community, and a lack of leadership and resources for community mobilizing. Without a cohesive community in which they could be engaged, BMSM are more likely to internalize negative views about same-sex behavior (Kraft et al., 2000; Stokes & Peterson, 1998), they may remain “hidden” and not disclose their homosexual behaviors and/or HIV status (Lichtenstein, 2000; Woodyard et al., 2000), and they may engage in unhealthy behaviors that can undermine HIV prevention (Mamary et al., 2007; Williams et al., 2004; Wilson & Moore, 2009). Given this, many of the studies reviewed here emphasized a focus on resilient aspects of BMSM’s social identities and lived experiences (Arnold & Bailey, 2009; Balaji et al., 2012; Hawkeswood & Costley, 1996; Hussen, Gilliard, et al., 2014; Jeffries et al., 2008) and the potential for creating communities that can foster resilience (Arnold & Bailey, 2009; Arrington-Sanders, Leonard, Brooks, Celentano, & Ellen, 2013; LeGrand, Muessig, Pike, Baltierra, & Hightow-Weidman, 2014; Mamary et al., 2007).

Researchers’ understanding of the importance of community-level approaches to inform HIV/AIDS interventions targeting BMSM has increased substantially over the past decade. Several studies reviewed here called for community-level prevention strategies, including mobilizing the Black community to change stigmatizing views of homosexuality and HIV/AIDS (Andrasik et al., 2014; Beeker et al., 1998; Bird & Voisin, 2013; Christian, 2005; Kraft et al., 2000; Stokes & Peterson, 1998), promoting community education and advocacy (Beeker et al., 1998; Hawkeswood, 1993;

Hawkeswood & Costley, 1996; LeGrand et al., 2014; Lichtenstein, 2000; Wilson & Moore, 2009), and enhancing cultural awareness among health care providers serving BMSM (Malebranche et al., 2004; Malebranche et al., 2010; Wheeler, 2006; Wilson & Moore, 2009). While there is a growing body of literature exploring alternative ways of approaching community-level prevention (Yoshikawa, Wilson, Shinn, & Peterson, 2005), the qualitative studies we reviewed here suggest that little work has been conducted on how to implement community-level HIV prevention approaches targeting BMSM.

Discussion

Qualitative data are essential to contextualizing, preventing, reducing, and treating HIV among BMSM. It is through qualitative research that researchers and practitioners can begin to comprehensively describe, understand, and intervene upon the contexts of heightened HIV risk among BMSM. Our findings suggest that HIV/AIDS interventions that aim to appeal to all BMSM may be ineffective (Arnold & Bailey, 2009; Hawkeswood, 1993; Hawkeswood & Costley, 1996; Hussen et al., 2013; Miller et al., 2005; Strayhorn & Tillman-Kelly, 2013). Collectively, the 70 studies indicate that a two-pronged approach may be best: investing resources into designing and implementing broad-reaching community- and structural-level interventions targeted toward social institutions, such as schools, health care delivery systems, and churches, as well as spurring the creation of behavioral interventions that are tailored to diverse subpopulations of BMSM, such as non-gender-conforming BMSM, Black MSMW, young BMSM, and substance-using BMSM.

In addition, findings suggest that interventions aimed at reducing interpersonal and institutional stigma are greatly needed. Stigma around HIV/AIDS and homosexuality, and sexuality more generally, is deeply embedded in history, politics, and culture (Cohen, 1999; Collins, 2004). This review highlights the need for research that applies qualitative methodologies to contextualize and reduce stigma affecting BMSM. One potential opportunity for such interventions is through the Black Church. Interventions must involve these institutions to succeed in minimizing the negative experiences BMSM often have within the Church context, while maximizing the support and community-building experiences that are instrumental to men’s spiritual growth and mental health (Pitt, 2010a, 2010b). Other opportunities lie in addressing racism and stereotypes held within the gay and bisexual communities. For example, some BMSM experience eroticism and objectification due to their race/ethnicity, which sexualizes efforts to engage with the predominantly White gay community (Jamil, Adolescent Trails Network for

HIV/AIDS Interventions, Harper, & Fernandez, 2009; Wilson et al., 2009).

Findings from the studies reviewed draw attention to the importance of understanding layered stigma, or stigma stemming from a multitude of sources and attached to different personal characteristics and/or behaviors (Parker & Aggleton, 2003), within the lives of BMSM. BMSM contend with multiple stigmatized identities and/or behaviors, which may simultaneously intersect while also be perceived to be in conflict with one another (Bowleg et al., 2013; Wilson, 2008). The complexities of the stigma that BMSM experience must be understood within a framework that highlights how layered stigma operates. Given the intersectional nature of stigmatized identities, addressing one source of stigma that BMSM experience may serve to enhance the perception and/or internalization of stigma that comes from another source. For example, several studies we reviewed conceptualized BMSM's heightened risk for infection within a masculine socialization framework. This work suggests that BMSM's heightened risk is related to layered stigma and is due, in part, to the primacy that Black men place on hypermasculine identities (Malebranche et al., 2009). These identities sharply contrast and conflict with homosexual behaviors and lifestyles, as well as notions of "being safe," as hypermasculine performance, by definition, includes being a risk taker (Kimmel, 1996; Wilson, 2008).

Findings from the 70 studies included in this review speak to the variety and complexities of issues related to the social and sexual experiences of BMSM and provide direction with regard to the content of future interventions targeting BMSM. For example, interventions should focus on addressing internalized and external stigma, and reducing the discrimination based on race, sexual orientation, gender, and HIV status that is experienced by many BMSM. In addition, individual-level interventions to address psychosocial problems, such as substance use, and mental health should be tethered with structural-level interventions to increase access to stable housing and employment in an effort to yield the most beneficial health outcomes among BMSM.

These studies also have great utility in informing future quantitative studies that desire to explain BMSM's heightened HIV risk. Specifically, our findings provide direction for potential mediators and moderators that connect the key variables identified in past behavioral research (e.g., psychological distress, sexual identity, self-efficacy, peer norms, and social support) and poor health outcomes among BMSM. Further quantitative investigation of the roles of stigma, poverty, trauma, and community engagement/mobilization in facilitating or hindering HIV risk is warranted. Quantitative research employing situation-, neighborhood- and network-level analyses is needed to fully understand how contexts shape BMSM's heightened HIV risk. The work presented in this review also has the potential to inform future qualitative

studies of BMSM and their communities. Similarly, findings from the review call for a mixed methods approach that works in concert to break down the contexts of HIV vulnerability among BMSM. Moreover, the studies we examined suggested that, to strengthen prevention efforts targeted toward BMSM, there must be a shift from the paradigm of scientist-driven behavioral research toward an approach to implementing research and interventions that focus on engaging BMSM and the social networks that surround them.

Limitations, Strengths, and Conclusions

This review of qualitative research informing HIV interventions for BMSM has certain limitations that should be considered. First, the breadth of themes that emerged from the qualitative studies could not all be adequately covered in our review. For example, themes related to romantic partnerships, types of sexual partners, and disclosure were excluded from this review but deserve further consideration. A second limitation of the qualitative studies reviewed can also inform future research. Notably, there were a limited number of theoretical and methodological approaches used by researchers. Data collection strategies were primarily limited to in-depth interviews and focus groups, and researchers rarely indicated which qualitative methodologies, such as phenomenology, case studies, narrative analysis, or grounded theory, guided their studies. Employing qualitative approaches may produce naturalistic accounts of the lived experiences and social contexts of BMSM, which could further inform intervention efforts.

One strength of this review is that it provides clear direction for research on the implementation and dissemination of new interventions. With the increasing relevance of biomedical interventions to prevention and treatment efforts targeting BMSM, qualitative studies are needed to better understand how novel interventions, such as PrEP, will be accessed and taken up by BMSM. For example, although researchers envision PrEP as a preventive measure for "high-risk" groups such as MSM and transgender women (Buchbinder et al., 2014; Buchbinder & Liu, 2014), PrEP remains accessible predominantly through health care providers and may be perceived as costly and burdensome among MSM (King et al., 2014). Not only do many of the highest risk groups also not have access to health insurance, preliminary evidence also suggests that patient race may influence a provider's willingness to prescribe PrEP (Calabrese, Earnshaw, Underhill, Hansen, & Dovidio, 2014). Heterogeneity among BMSM, and the effects of intersectional identities and layered stigma on prevention and treatments, are themes we identified that have direct implications for understanding the effective rollout of new interventions and the feasibility that they will be taken up and efficiently disseminated to the most vulnerable BMSM. At the time of this review, no published

qualitative research had addressed the feasibility and acceptability of PrEP specifically among BMSM.

Another strength of the review is that it builds upon, and its findings are validated by, past reviews focused on BMSM. For example, Dillon and Basu (2013) conducted a qualitative metasynthesis of 12 qualitative studies with the specific goal of understanding the roles of culture and structure in Black and Latino gay men's HIV/AIDS-related behaviors and practices. Similar to our review, these authors observed the ubiquitous role of stigma in impeding prevention and enhancing risk for MSM of color. However, their study was limited in its breadth, and emergent themes were primarily discussed in individual-level frameworks.

In conclusion, the review suggests that qualitative studies have great potential in informing future interventions and research to address the crisis of HIV/AIDS among BMSM in the United States. Acknowledging the diversity that exists within the BMSM population is critical to intervention development and dissemination. Likewise, stigma and related factors, including poverty and structural violence, must be addressed to see significant reductions in HIV among BMSM. Finally, efforts to engage BMSM in advocacy and prevention/treatment efforts and to enhance resilience—at both personal and community levels—have strong potential as effective conduits to reduce the impact of the HIV epidemic affecting BMSM.

Funding

This research was supported by grant RO1-HD050118-03 S1 (awarded to Richard G. Parker, PhD, by the Eunice Kennedy Shriver National Institute of Child Health and Human Development), a minority supplement to parent grant RO1-HD050118, which supported a research study titled “Religious Responses to HIV/AIDS in Brazil.” This article was also supported by a Eugene Kennedy Shriver U.S. National Institute of Child Health and Human Development administrative supplement to this parent grant (grant number RO1-HD050118-05 S1; Principal Investigator Richard G. Parker, PhD), issued under the American Recovery and Reinvestment Act of 2009.

References

- Andrasik, M. P., Chandler, C., Powell, B., Humes, D., Wakefield, S., Kripke, K., & Eckstein, D. (2014). Bridging the divide: HIV prevention research and Black men who have sex with men. *American Journal of Public Health, 104*, 708–714. doi:10.2105/ajph.2013.301653
- Arnold, E. A., & Bailey, M. M. (2009). Constructing home and family: How the Ballroom Community supports African American GLBTQ youth in the face of HIV/AIDS. *Journal of Gay and Lesbian Social Services, 21*, 171–188. doi:10.1080/105387209.02772006
- Arnold, E. A., Rebchook, G. M., & Kegeles, S. M. (2014). “Triply cursed”: Racism, homophobia, and HIV-related stigma are barriers to regular HIV testing, treatment adherence, and disclosure among young Black gay men. *Culture, Health, and Sexuality, 16*, 710–722. doi:10.1080/13691058.2014.905706
- Arrington-Sanders, R., Leonard, L., Brooks, D., Celentano, D., & Ellen, J. (2013). Older partner selection in young African-American men who have sex with men. *Journal of Adolescent Health, 52*, 682–628. doi:10.1016/j.jadohealth.2012.12.011
- Bailey, M. M. (2009). Performance as intervention: Ballroom culture and the politics of HIV/AIDS in Detroit. *Souls, 11*, 253–274. doi:10.1080/10999940903088226
- Balaji, A. B., Oster, A. M., Viall, M. A., Heffelfinger, J. D., Mena, L. A., & Toledo, C. A. (2012). Role flexing: How community, religion, and family shape the experiences of young Black men who have sex with men. *AIDS Patient Care and STDS, 26*, 730–737. doi:10.1089/apc.2012.0177
- Becker, C., Kraft, J. M., Peterson, J. L., & Stokes, J. P. (1998). Influences on sexual risk behavior in young African-American men who have sex with men. *Journal of the Gay and Lesbian Medical Association, 2*, 59–68.
- Berry, M., Raymond, H. F., & McFarland, W. (2007). Same race and older partner selection may explain higher HIV prevalence among Black men who have sex with men. *AIDS, 21*, 2349–2350. doi:10.1097/qad.0b013e3282f12f41
- Bingham, T. A., Harawa, N. T., Johnson, D. F., Secura, G. M., MacKellar, D. A., & Valleroy, L. A. (2003). The effect of partner characteristics on HIV infection among African American men who have sex with men in the Young Men's Survey, Los Angeles, 1999–2000. *AIDS Education and Prevention, 15*(Suppl. 1), 39–52. doi:10.1521/aeap.15.1.5.39.23613
- Bird, J. D., & Voisin, D. R. (2013). “You're an open target to be abused”: A qualitative study of stigma and HIV self-disclosure among Black men who have sex with men. *American Journal of Public Health, 103*, 2193–2199. doi:10.2105/ajph.2013.301437
- Bowleg, L., Teti, M., Malebranche, D. J., & Tschann, J. M. (2013). “It's an uphill battle everyday”: Intersectionality, low-income Black heterosexual men, and implications for HIV prevention research and interventions. *Psychology of Men and Masculinity, 14*, 25–34. doi:10.1037/a0028392
- Buchbinder, S. P., Glidden, D. V., Liu, A. Y., McMahan, V., Guanira, J. V., Mayer, K. H., . . . Grant, R. M. (2014). HIV pre-exposure prophylaxis in men who have sex with men and transgender women: A secondary analysis of a phase 3 randomised controlled efficacy trial. *The Lancet Infectious Diseases, 14*, 468–475. doi:10.1016/s1473-3099(14)70025-8
- Buchbinder, S. P., & Liu, A. Y. (2014). CROI 2014: New tools to track the epidemic and prevent HIV infections. *Topics in Antiviral Medicine, 22*, 579–593.
- Buseh, A. G., Stevens, P. E., McManus, P., Addison, R. J., Morgan, S., & Millon-Underwood, S. (2006). Challenges and opportunities for HIV prevention and care: Insights from focus groups of HIV-infected African American men. *Journal of the Association of Nurses in AIDS Care, 17*, 3–15. doi:10.1016/j.jana.2006.05.006
- Calabrese, S. K., Earnshaw, V. A., Underhill, K., Hansen, N. B., & Dovidio, J. F. (2014). The impact of patient race on clinical decisions related to prescribing HIV pre-exposure prophylaxis (PrEP): Assumptions about sexual risk compensation and implications for access. *AIDS and Behavior, 18*, 226–240. doi:10.1007/s10461-013-0675-x
- Campbell, M., Fitzpatrick, R., Haines, A., Kinmonth, A. L., Sandercock, P., Spiegelhalter, D., & Tyler, P. (2000). Framework for design and evaluation of complex interventions to improve health. *British Medical Journal, 321*, 694–696. doi:10.1136/bmj.321.7262.694
- Centers for Disease Control and Prevention. (2001). HIV incidence among young men who have sex with men—Seven U.S. cities, 1994–2000. *Morbidity and Mortality Weekly Report, 50*, 440–444.

- Centers for Disease Control and Prevention. (2005). HIV prevalence, unrecognized infection, and HIV testing among men who have sex with men—Five U.S. cities, June 2004–April 2005. *Morbidity and Mortality Weekly Report*, 54, 597–601.
- Centers for Disease Control and Prevention. (2008). Trends in HIV/AIDS diagnoses among men who have sex with men—33 States, 2001–2006. *Morbidity and Mortality Weekly Report*, 57, 681–686.
- Centers for Disease Control and Prevention. (2014). *HIV among African American gay and bisexual men*. Retrieved from <http://www.cdc.gov/hiv/statistics/surveillance/incidence/index.html>
- Christian, T. Y. (2005). “Good cake”: An ethnographic trilogy of life satisfaction among gay Black men. *Men and Masculinities*, 8, 164–174. doi:10.1177/1097184x04271358
- Cohen, C. J. (1999). *The boundaries of blackness: AIDS and the breakdown of black politics*. Chicago, IL: University of Chicago Press.
- Collins, P. H. (2004). *Black sexual politics: African Americans, gender, and the new racism*. New York, NY: Routledge.
- Dillon, P. J., & Basu, A. (2013). HIV/AIDS and minority men who have sex with men: A meta-ethnographic synthesis of qualitative research. *Health Communication*, 29, 182–192. doi:10.1080/10410236.2012.732911
- Dodge, B., Jeffries, W. L., & Sandfort, T. G. M. (2008). Beyond the down low: Sexual risk, protection, and disclosure among at-risk Black men who have sex with both men and women (MSMW). *Archives of Sexual Behavior*, 37, 683–696. doi:10.1007/s10508-008-9356-7
- Eyre, S. L., Milbrath, C., & Peacock, B. (2007). Romantic relationships trajectories of African American gay/bisexual adolescents. *Journal of Adolescent Research*, 22, 107–131. doi:10.1177/0895904805298417
- Fields, E. L., Bogart, L. M., Smith, K. C., Malebranche, D. J., Ellen, J., & Schuster, M. A. (2015). “I always felt I had to prove my manhood”: Homosexuality, masculinity, gender role strain, and HIV risk among young Black men who have sex with men. *American Journal of Public Health*, 105, 122–131. doi:10.2105/ajph.2013.301866
- Fields, S. D., Malebranche, D., & Feist-Price, S. (2008). Childhood sexual abuse in Black men who have sex with men: Results from three qualitative studies. *Cultural Diversity and Ethnic Minority Psychology*, 14, 385–390. doi:10.1037/1099-9809.14.4.385
- Frew, P. M., Williams, V. A., Shapiro, E. T., Sanchez, T., Rosenberg, E. S., Fenimore, V. L., & Sullivan, P. S. (2013). From (un)willingness to involveMENT: Development of a successful study brand for recruitment of diverse MSM to a longitudinal HIV research. *International Journal of Population Research*, 2013, 1–9. Advance online publication. doi:10.1155/2013/624245
- Fullilove, M. T., & Fullilove, R. E. (1999). Stigma as an obstacle to AIDS action: The case of the African American community. *American Behavioral Scientist*, 42, 1117–1129. doi:10.1177/00027649921954796
- Graham, L. F., Braithwaite, K., Spikes, P., Stephens, C. F., & Edu, U. F. (2009). Exploring the mental health of Black men who have sex with men. *Community Mental Health Journal*, 45, 272–284. doi:10.1007/s10597-009-9186-7
- Green, A. I. (2005). “The kind that all White men want”: Race and the role of subtle status characteristics in an urban gay setting. *Social Theory and Health*, 3, 206–227. doi:10.1057/palgrave.sth.8700054
- Green, A. I. (2007). On the horns of a dilemma: Institutional dimensions of the sexual career in a sample of middle-class, urban, Black, gay men. *Journal of Black Studies*, 37, 753–774. doi:10.1177/0021934705280305
- Haile, R., Padilla, M. B., & Parker, E. A. (2011). “Stuck in the quagmire of an HIV ghetto”: The meaning of stigma in the lives of older Black gay and bisexual men living with HIV in New York City. *Culture, Health, and Sexuality*, 13, 429–442. doi:10.1080/13691058.2010.537769
- Han, C., Lauby, J., Bond, L., LaPollo, A. B., & Rutledge, S. E. (2010). Magic Johnson doesn’t worry about how to pay for medicine: Experiences of Black men who have sex with men living with HIV. *Culture, Health, and Sexuality*, 12, 387–399. doi:10.1080/13691050903549030
- Harawa, N. T., Williams, J. K., Ramamurthi, H. C., & Bingham, T. A. (2006). Perceptions towards condom use, sexual activity, and HIV disclosure among HIV-positive African American men who have sex with men: Implications for heterosexual transmission. *Journal of Urban Health*, 83, 682–694. doi:10.1007/s11524-006-9067-0
- Harris, W. G. (2003). African American homosexual males on predominantly White college and university campuses. *Journal of African American Studies*, 7, 47–56. doi:10.1007/s12111-003-1002-9
- Hawkeswood, W. G. (1993). “AIDS ain’t a gay thing”: The impact of AIDS on gay Black men. *Transforming Anthropology*, 4, 27–38. doi:10.1525/tran.1993.4.1-2.27
- Hawkeswood, W. G., & Costley, A. W. (1996). *One of the children: Gay Black men in Harlem*. Los Angeles: University of California Press.
- Herd, G. (2001). Stigma and the ethnographic study of HIV: Problems and prospects. *AIDS and Behavior*, 5, 141–149.
- Herd, G., & Boxer, A. M. (1991). Ethnographic issues in the study of AIDS. *Journal of Sex Research*, 28, 171–187. doi:10.1080/00224499109551604
- Higgins, D. L., O’Reilly, K., Tashima, N., Crain, C., Beeker, C., Goldbaum, G., ... Guenther-Grey, C. (1996). Using formative research to lay the foundation for the community level HIV prevention efforts: Example from the AIDS community demonstration projects. *Public Health Reports*, 111, 28–35.
- Hightow-Weidman, L. B., Fowler, B., Kibe, J., McCoy, R., Pike, E., Calabria, M., & Adimora, A. (2011). HealthMpowerment.org: Development of a theory-based HIV/STI website for young Black MSM. *AIDS Education and Prevention*, 23, 1–12. doi:10.1521/aeap.2011.23.1.1
- Hussen, S. A., Andes, K., Gilliard, D., Chakraborty, R., del Rio, C., & Malebranche, D. J. (2014). Transition to adulthood and antiretroviral adherence among HIV-positive young Black men who have sex with men. *American Journal of Public Health*, 105, 725–731. doi:10.2105/ajph.2014.301905
- Hussen, S. A., Gilliard, D., Caldwell, C. H., Andes, K., Chakraborty, R., & Malebranche, D. J. (2014). A qualitative analysis of father-son relationships among HIV-positive young Black men who have sex with men. *Journal of Urban Health*, 91, 776–792. doi:10.1007/s11524-013-9864-1
- Hussen, S. A., Stephenson, R., del Rio, C., Wilton, L., Wallace, J., Wheeler, D., & HPTN 061 Protocol Team. (2013). HIV testing patterns among Black men who have sex with men: A qualitative typology. *PLoS ONE*, 8, e75382. doi:10.1371/journal.pone.0075382
- Jamil, O. B., Adolescent Trails Network for HIV/AIDS Interventions, Harper, G. W., & Fernandez, M. I. (2009). Sexual and ethnic identity development among gay-bisexual-questioning (GBQ) male ethnic minority adolescents. *Cultural Diversity and Ethnic Minority Psychology*, 15, 203–214. doi:10.1037/a0014795
- Jeffries, W. L., Dodge, B., & Sandfort, T. G. M. (2008). Religion and spirituality among bisexual Black men in the USA. *Culture, Health, and Sexuality*, 10, 463–477. doi:10.1080/13691050701877526
- Jerome, R. C., & Halkitis, P. N. (2009). Stigmatization, stress, and the search for belonging in Black men who have sex with men who use methamphetamine. *Journal of Black Psychology*, 35, 343–365. doi:10.1177/0095798409333620
- Johnson, W. D., Holtgrave, D. R., McClellan, W. M., Flanders, W. D., Hill, A. N., & Goodman, M. (2005). HIV intervention research for men who have sex with men: A 7-year update. *AIDS Education and Prevention*, 17, 568–589. doi:10.1521/aeap.2005.17.6.568
- Jones, J. L., Rasch, R. F., MacMaster, S., Adams, S. M., & Cooper, R. L. (2009). The experiences of African American male commercial sex workers at risk for HIV: Accessing outreach services. *Journal of Gay and Lesbian Social Services*, 21, 282–293. doi:10.1080/10538720902772238
- Jones, K. T., Gray, P., Whiteside, Y. O., Wang, T., Bost, D., Dunbar, E., ... Johnson, W. D. (2008). Evaluation of an HIV prevention intervention adapted for Black men who have sex with men. *American Journal of Public Health*, 98, 1043–1050. doi:10.2105/AJPH.2007.120337

- Kimmel, M. (1996). *Manhood in America: A cultural history*. New York, NY: Free Press.
- King, H. L., Keller, S. B., Giancola, M. A., Rodriguez, D. A., Chau, J. J., Young, J. A., . . . Smith, D. M. (2014). Pre-exposure prophylaxis accessibility research & evaluation (PrEPARE Study). *AIDS and Behavior, 18*, 1722–1725.
- Koblin, B. A., Husnik, M. J., Colfax, G., Huang, Y., Madison, M., Mayer, K., . . . Buchbinder, S. (2006). Risk factors for HIV infection among men who have sex with men. *AIDS, 20*, 731–739.
- Kraft, J. M., Beeker, C., Stokes, J. P., & Peterson, J. L. (2000). Finding the “community” in community-level HIV/AIDS interventions: Formative research with young African American men who have sex with men. *Health Education and Behavior, 27*, 430–441. doi:10.1177/109019810002700406
- Lapinski, M. K., Braz, M. E., & Maloney, E. K. (2010). The down low, social stigma, and risky sexual behaviors: Insights from African-American men who have sex with men. *Journal of Homosexuality, 57*, 610–633. doi:10.1080/00918361003712020
- LeGrand, S., Muessig, K. E., Pike, E. C., Baltierra, N., & Hightow-Weidman, L. B. (2014). If you build it will they come? Addressing social isolation within a technology-based HIV intervention for young Black men who have sex with men. *AIDS Care, 26*, 1194–2000. doi:10.1080/09540121.2014.894608
- Lichtenstein, B. (2000). Secret encounters: Black men, bisexuality, and AIDS in Alabama. *Medical Anthropology Quarterly, 14*, 374–393. doi:10.1525/maq.2000.14.3.374
- Loiacano, D. K. (1989). Gay identity issues among Black Americans: Racism, homophobia, and the need for validation. *Journal of Counseling and Development, 68*, 21–25. doi:10.1002/j.1556-6676.1989.tb02486.x
- Magnus, M., Franks, J., Griffith, S., Arnold, M. P., Goodman, K., & Wheeler, D. P. (2014). Engaging, recruiting, and retaining Black men who have sex with men in research studies: Don’t underestimate the importance of staffing lessons learned from HPTN 061, the BROTHERS study. *Journal of Public Health Management and Practice, 20*, E1–E9. doi:10.1097/phh.0000000000000025
- Malebranche, D. J. (2003). Black men who have sex with men and the HIV epidemic: Next steps for public health. *American Journal of Public Health, 93*, 862–865. doi:10.2105/ajph.93.6.862
- Malebranche, D. J., Arriola, K. J., Jenkins, T. R., Dauria, E., & Patel, S. N. (2010). Exploring the “bisexual bridge”: A qualitative study of risk behavior and disclosure of same-sex behavior among Black bisexual men. *American Journal of Public Health, 100*, 159–164. doi:10.2105/ajph.2008.158725
- Malebranche, D. J., Fields, E. L., Bryant, L. O., & Harper, S. R. (2009). Masculine socialization and sexual risk behaviors among Black men who have sex with men: A qualitative exploration. *Men and Masculinities, 12*, 90–112. doi:10.1177/1097184x07309504
- Malebranche, D. J., Peterson, J. L., Fullilove, R. E., & Stackhouse, R. W. (2004). Race and sexual identity: Perceptions about medical culture and health care among Black men who have sex with men. *Journal of the National Medical Association, 96*, 97–107.
- Mamary, E., McCright, J., & Roe, K. (2007). Our lives: An examination of sexual health issues using photovoice by non-gay identified African American men who have sex with men. *Culture, Health, and Sexuality, 9*, 359–370. doi:10.1080/13691050601035415
- Mays, V. M., Cochran, S. D., Bellinger, G., Smith, R. G., Henley, N., Daniels, M., . . . Birt, D. K. (1992). The language of Black gay men’s sexual behavior—Implications for AIDS risk reduction. *Journal of Sex Research, 29*, 425–434. doi:10.1080/00224499209551657
- Mays, V. M., Cochran, S. D., & Zamudio, A. (2004). HIV prevention research: Are we meeting the needs of African American men who have sex with men? *Journal of Black Psychology, 30*, 78–105. doi:10.1177/0095798403260265
- Miller, M., Serner, M., & Wagner, M. (2005). Sexual diversity among Black men who have sex with men in an inner-city community. *Journal of Urban Health: Bulletin of the New York Academy of Medicine, 82*, 26–34. doi:10.1093/jurban/jti021
- Miller, R. L. (2007). Legacy denied: African American gay men, AIDS, and the Black Church. *Social Work, 52*, 51–61. doi:10.1093/sw/52.1.51
- Millett, G. A., Ding, H., Marks, G., Jeffries, W. L., Bingham, T., Lauby, J., . . . Stueve, A. (2011). Mistaken assumptions and missed opportunities: Correlates of undiagnosed HIV infection among Black and Latino men who have sex with men. *Journal of Acquired Immune Deficiency Syndromes, 58*, 64–71. doi:10.1097/qai.0b013e31822542ad
- Millett, G. A., Malebranche, D. J., & Peterson, J. L. (2007). HIV/AIDS prevention research among Black men who have sex with men: Current progress and future directions. In I. Meyer & M. Northridge (Eds.), *The health of sexual minorities: Public health perspectives on lesbian, gay, bisexual, and transgendered populations* (pp. 539–565). New York, NY: Springer.
- Millett, G. A., & Peterson, J. L. (2007). The known hidden epidemic: HIV/AIDS among Black men who have sex with men in the United States. *American Journal of Preventive Medicine, 32*, S31–S33.
- Millett, G. A., Peterson, J. L., Flores, S. A., Hart, T. A., Jeffries, W. L., Wilson, P. A., . . . Remis, R. S. (2012). Comparisons of disparities and risks of HIV infection in Black and other men who have sex with men in Canada, UK, and USA: A meta-analysis. *The Lancet, 380*, 341–348. doi:10.1016/s0140-6736(12)60899-x
- Millett, G. A., Peterson, J. L., Wolitski, R. J., & Stall, R. (2006). Greater risk for HIV infection of Black men who have sex with men: A critical literature review. *American Journal of Public Health, 96*, 1007–1019. doi:10.2105/ajph.2005.066720
- Morton, L. G. (2007). MSM, the streets, and lockdown: Sexual threat and social dominance in America. *Journal of African American Studies, 11*, 225–238. doi:10.1007/s12111-007-9024-3
- Muessig, K. E., Pike, E. C., Fowler, B., LeGrand, S., Parsons, J. T., Bull, S. S., . . . Hightow-Weidman, L. B. (2013). Putting prevention in their pockets: Developing mobile phone-based HIV interventions for Black men who have sex with men. *AIDS Patient Care and STDs, 27*, 211–222. doi:10.1089/apc.2012.0404
- Myrick, R. (1999). In the life: Culture-specific HIV communication programs designed for African American men who have sex with men. *Journal of Sex Research, 36*, 159–170. doi:10.1080/00224499909551981
- Nanin, J., Osubu, T., Walker, J. N., Powell, B., Powell, D., & Parsons, J. (2009). “HIV is still real”: Perceptions of HIV testing and HIV prevention among Black men who have sex with men in New York City. *American Journal of Men’s Health, 3*, 150–164. doi:10.1177/1557988308315154
- Normand, J. L., Lambert, E. Y., & Vlahov, D. (2003). Understanding the dynamics of sexual transmission of HIV among drug-using populations: An integration of biological, behavioral, and environmental perspectives. *Journal of Urban Health: Bulletin of the New York Academy of Medicine, 80*, iii1–iii6. doi:10.1093/jurban/jtg077
- Parker, R. (2001). Sexuality, culture, and power in HIV/AIDS research. *Annual Review of Anthropology, 30*, 163–179. doi:10.1146/annurev.anthro.30.1.163
- Parker, R., & Aggleton, P. (2003). HIV and AIDS-related stigma and discrimination: A conceptual framework and implications for action. *Social Science and Medicine, 57*, 13–24. doi:10.1016/s0277-9536(02)00304-0
- Parker, R., & Carballo, M. (1990). Qualitative research on homosexual and bisexual behavior relevant to HIV/AIDS. *Journal of Sex Research, 27*, 497–525. doi:10.1080/00224499009551578
- Parker, R., & Ehrhardt, A. A. (2001). Through an ethnographic lens: Ethnographic methods, comparative analysis, and HIV/AIDS research. *AIDS and Behavior, 5*, 105–114.
- Parker, R., Herdt, G., & Carballo, M. (1991). Sexual culture, HIV transmission, and AIDS research. *Journal of Sex Research, 28*, 77–98. doi:10.1080/00224499109551596
- Patton, L. D. (2011). Perspectives on identity, disclosure, and the campus environment among African American gay and bisexual men at one historically Black college. *Journal of College Student Development, 52*, 77–100. doi:10.1353/csd.2011.0001

- Peterson, J. L., & Jones, K. T. (2009). HIV prevention for Black men who have sex with men in the United States. *American Journal of Public Health, 99*, 976–980. doi:10.2105/ajph.2008.143214
- Pitt, R. N. (2010a). “Killing the messenger”: Religious Black gay men’s neutralization of anti-gay religious messages. *Journal for the Scientific Study of Religion, 49*, 56–72. doi:10.1111/j.1468-5906.2009.01492.x
- Pitt, R. N. (2010b). “Still looking for my Jonathan”: Gay Black men’s management of religious and sexual identity conflicts. *Journal of Homosexuality, 57*, 39–53. doi:10.1080/00918360903285566
- Power, R. (1998). The role of qualitative research in HIV/AIDS. *AIDS, 12*, 687–695. doi:10.1097/00002030-199807000-00004
- Prejean, J., Song, R., Hernandez, A., Ziebell, R., Green, T., Walker, F., . . . HIV Incidence Surveillance Group. (2011). Estimated HIV incidence in the United States, 2006–2009. *PLoS ONE, 6*, e17502. doi:10.1371/journal.pone.0017502
- Raymond, H. F., & McFarland, W. (2009). Racial mixing and HIV risk among men who have sex with men. *AIDS and Behavior, 13*, 630–637. doi:10.1007/s10461-009-9574-6
- Reback, C. J., & Larkins, S. (2010). Maintaining a heterosexual identity: Sexual meanings among a sample of heterosexually identified men who have sex with men. *Archives of Sexual Behavior, 39*, 766–773. doi:10.1007/s10508-008-9437-7
- Rhodes, S. D., Hergenrather, K. C., Vissman, A. T., Stowers, J., Davis, A. B., Hannah, A., . . . Marsiglia, F. F. (2011). Boys must be men, and men must have sex with women: A qualitative CBPR study to explore sexual risk among African American, Latino, and White gay men and MSM. *American Journal of Men’s Health, 5*, 140–151. doi:10.1177/1557988310366298
- Silenzio, V. M. B. (2003). Anthropological assessment for culturally appropriate interventions targeting men who have sex with men. *American Journal of Public Health, 93*, 867–871. doi:10.2105/ajph.93.6.867
- Stokes, J. P., & Peterson, J. L. (1998). Homophobia, self-esteem, and risk for HIV among African American men who have sex with men. *AIDS Education and Prevention, 10*, 278–292.
- Strayhorn, T. L., & Tillman-Kelly, D. L. (2013). Queering masculinity: Manhood and Black gay men in college. *Spectrum: A Journal on Black Men, 1*, 83–110. doi:10.2979/spectrum.1.2.83
- Tobin, K. E., Cutchin, M., Latkin, C. A., & Takahashi, L. M. (2013). Social geographies of African American men who have sex with men (MSM): A qualitative exploration of the social, spatial, and temporal context of HIV risk in Baltimore, Maryland. *Health and Place, 22*, 1–6. doi:10.1016/j.healthplace.2013.02.005
- Torian, L. V., Makkii, H. A., Menzies, I. B., Murrill, C. S., & Weisfuse, I. B. (2002). HIV infection in men who have sex with men, New York City Department of Health sexually transmitted disease clinics, 1990–1999: A decade of serosurveillance finds that racial disparities and associations between HIV and gonorrhea persist. *Sexually Transmitted Diseases, 29*, 73–78. doi:10.1097/00007435-200202000-00002
- Valera, P., & Taylor, T. (2011). “Hating the sin but not the sinner”: A study about heterosexism and religious experiences among Black men. *Journal of Black Studies, 42*, 106–122. doi:10.1177/0021934709356385
- Valleroy, L. A., MacKellar, D. A., Karon, J. M., Rosen, D. H., McFarland, W., Shehan, D. A., . . . Young Men’s Survey Study Group. (2000). HIV prevalence and associated risks in young men who have sex with men. *Journal of the American Medical Association, 284*, 198–204. doi:10.1001/jama.284.2.198
- VanDevanter, N., Duncan, A., Burrell-Piggott, T., Bleakley, A., Birnbaum, J., Siegel, K., . . . Ramjohn, D. (2011). The influence of substance use, social sexual environment, psychosocial factors, and partner characteristics on high-risk sexual behavior among young Black and Latino men who have sex with men living with HIV: A qualitative study. *AIDS Patient Care and STDs, 25*, 113–121. doi:10.1089/apc.2010.0100
- Voisin, D. R., Bird, J. D. P., Shiu, C. S., & Krieger, C. (2013). “It’s crazy being a Black, gay youth”: Getting information about HIV prevention: A pilot study. *Journal of Adolescent Science, 36*, 111–119. doi:10.1016/j.adolescence.2012.09.009
- Washington, T. A., & Brocato, J. (2011). Exploring the perspectives of substance abusing Black men who have sex with men and women in addiction treatment programs: A need for a human sexuality educational model for addiction professionals. *American Journal of Men’s Health, 5*, 402–412. doi:10.1177/1557988310383331
- Washington, T. A., & Meyer-Adams, N. (2010). HIV prevention needs of sex-trading injection drug-using Black men who have sex with both men and women. *American Journal of Men’s Health, 4*, 104–110. doi:10.1177/1557988308330249
- Wheeler, D. P. (2005). Working with positive men: HIV prevention with Black men who have sex with men. *AIDS Education and Prevention, 17*, 102–115. doi:10.1521/aeap.17.2.102.58693
- Wheeler, D. P. (2006). Exploring HIV prevention needs for nongay-identified Black and African American men who have sex with men: A qualitative exploration. *Sexually Transmitted Diseases, 33*, S11–S16. doi:10.1097/01.olq.0000216021.76170.e1
- White House Office of National AIDS Policy. (2010). *National HIV/AIDS strategy for the United States*. Washington, DC: Office of National AIDS Policy.
- Williams, J. K., Wyatt, G. E., Resell, J., Peterson, J., & Asuan-O’Brien, A. (2004). Psychosocial issues among gay-and nongay-identifying HIV-seropositive African American and Latino MSM. *Cultural Diversity and Ethnic Minority Psychology, 10*, 268–286. doi:10.1037/1099-9809.10.3.268
- Wilson, B. D. M., & Miller, R. L. (2002). Strategies for managing heterosexism among African-American gay and bisexual men. *Journal of Black Psychology, 28*, 371–391.
- Wilson, P. A. (2008). A dynamic-ecological model of identity formation and conflict among bisexually behaving African-American men. *Archives of Sexual Behavior, 37*, 794–809. doi:10.1007/s10508-008-9362-9
- Wilson, P. A., & Moore, T. E. (2009). Public health responses to the HIV epidemic among Black men who have sex with men: A qualitative study of U.S. health departments and communities. *American Journal of Public Health, 99*, 1013–1022. doi:10.2105/ajph.2008.140681
- Wilson, P. A., Valera, P., Ventuneac, A., Balan, I., Rowe, M., & Carballo-Diéguez, A. (2009). Race-based sexual stereotyping and sexual partnering among men who use the Internet to identify other men for bareback sex. *Journal of Sex Research, 46*, 1–15. doi:10.1080/00224490902846479
- Wilson, P. A., Wittlin, N. M., Muñoz-Laboy, M., & Parker, R. (2011). Ideologies of Black churches in New York City and the public health crisis of HIV among Black men who have sex with men. *Global Public Health, 6*, S227–S242. doi:10.1080/17441692.2011.605068
- Wilton, L., Halkitis, P. N., English, G., & Roberson, M. (2005). An exploratory study of barebacking, club drug use, and meanings of sex in Black and Latino gay and bisexual men in the age of AIDS. *Journal of Gay and Lesbian Psychotherapy, 9*, 49–72. doi:10.1300/j236v09n03_04
- Woodyard, J. L., Peterson, J. L., & Stokes, J. P. (2000). “Let us go into the house of the Lord”: Participation in African American churches among young African American men who have sex with men. *Journal of Pastoral Care: Advancing Theory and Professional Practice Through Scholarly and Reflective Publications, 54*, 451–460. doi:10.1177/002234090005400408
- Wu, E., El-Bassel, N., McVinney, L. D., Fontaine, Y. M., & Hess, L. (2010). Adaptation of a couple-based HIV intervention for methamphetamine-involved African American men who have sex with men. *Open AIDS Journal, 4*, 123–131.
- Yoshikawa, H., Wilson, P. A., Shinn, M., & Peterson, J. L. (2005). Multiple pathways to community-level impacts in HIV prevention: Implications for conceptualization, implementation, and evaluation of interventions. In E. J. Trickett & W. Pequegnat (Eds.), *Community interventions and AIDS* (pp. 28–55). New York, NY: Oxford University Press.